



Código: GN00000005

Nombre del punto: RIO AZUER - E.A. Daimiel

Cauce: RIO AZUER

Código de la masa de agua: 13483

Nombre de la masa de agua: RIO AZUER II

Localidad: Daimiel

Provincia: Ciudad Real

UTM X: 448202

UTM Y: 4325543

Huso: 30

		ENERO 12-01-2010	FEBRERO 16-02-2010	MARZO 09-03-2010	ABRIL 13-04-2010	MAYO 18-05-2010	JUNIO 22-06-2010	JULIO 13-07-2010	AGOSTO 17-08-2010	SEPTIEMBRE 14-09-2010	OCTUBRE 19-10-2010	NOVIEMBRE 23-11-2010	DICIEMBRE 14-12-2010
Alcalinidad total	mg/L	174,6	176,1	162,6	186,8	119,5	---	---	---	---	---	148,5	176,4
Aluminio	mg/L	0,2653	0,1036	< 0,1000	< 0,1000	0,1449	---	---	---	---	---	< 0,1000	< 0,1000
Amonio total	mg/L	0,32	0,18	< 0,05	< 0,05	0,05	---	---	---	---	---	< 0,05	0,19
Arsénico	µg/L	< 2,50	1,245	1,450	1,471	---	---	---	---	---	---	1,309	2,364
Arsénico	mg/L	---	---	---	---	< 0,025000	---	---	---	---	---	---	---
Aspecto	----	1	1	1	1	1	---	---	---	---	---	1	1
Bario	mg/L	0,0921	0,0546	0,0559	< 0,0500	< 0,0500	---	---	---	---	---	0,0510	0,0978
Bicarbonatos	mg/L	174,6	176,1	141,0	186,8	105,4	---	---	---	---	---	148,5	176,4
Boro	mg/L	0,1147	0,1152	0,1214	0,1284	0,1890	---	---	---	---	---	0,1736	0,1701
Cadmio	µg/L	< 0,50	< 1,000	< 1,000	< 1,000	---	---	---	---	---	---	< 1,000	< 1,000
Cadmio	mg/L	---	---	---	---	< 0,025000	---	---	---	---	---	---	---
Calcio	mg/L	144,1000	152,5000	135,3000	155,3000	132,8000	---	---	---	---	---	189,3000	191,0000
Carbonatos	mg/L	< 0,1	< 0,1	21,6	< 0,1	14,2	---	---	---	---	---	< 0,1	< 0,1
Cianuro Total	mg/L	< 0,01	< 0,01	< 0,01	< 0,01	< 0,01	---	---	---	---	---	< 0,010	< 0,010
Cinc	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---	---	---	---	< 0,1000	< 0,1000
Cloruros	mg/L	47,2	52,7	49,9	49,4	51,9	---	---	---	---	---	83,6	94,4
Cobalto	mg/L	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	---	---	---	---	---	< 0,0500	< 0,0500
Cobre	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---	---	---	---	< 0,1000	< 0,1000
Color	mg/L	15,0	12,6	9,9	8,8	5,3	---	---	---	---	---	6,2	11,3
Conductividad	µS/cm	1022	1105	1036	1027	994	---	---	---	---	---	1199	1360
Cromo	µg/L	< 5,00	< 2,000	< 2,000	< 2,000	---	---	---	---	---	---	< 2,000	< 2,000
Cromo	mg/L	---	---	---	---	< 0,025000	---	---	---	---	---	---	---
D.B.O. 5d	mg/L	2,2	2,8	1,5	1,0	1,2	---	---	---	---	---	1,7	2,4
D.Q.O. 10min	mg/L	5,5	5,5	1,1	5,7	3,7	---	---	---	---	---	3,3	4,3
Dureza permanente	mg/L	379,1	449,0	393,6	408,5	424,1	---	---	---	---	---	576,2	610,0
Dureza total	mg/L	553,7	625,1	556,2	595,3	543,6	---	---	---	---	---	724,7	786,4
Estaño	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---	---	---	---	< 0,1000	< 0,1000
Estroncio	mg/L	1,6640	2,0760	1,7460	2,0080	2,0030	---	---	---	---	---	2,8240	2,6470
Fenoles	mg/L	< 0,01	< 0,01	< 0,01	< 0,01	< 0,01	---	---	---	---	---	< 0,010	< 0,010



Confederación Hidrográfica del Guadiana

Gestión de laboratorios

Informes

Report: R030412

Fecha: 21-09-2011

Resultados de análisis por punto de control

Página: 2

Código: GN00000005

Nombre del punto: RIO AZUER - E.A. Daimiel

Cauce: RIO AZUER

Código de la masa de agua: 13483

Nombre de la masa de agua: RIO AZUER II

Localidad: Daimiel

Provincia: Ciudad Real

UTM X: 448202

UTM Y: 4325543

Huso: 30

		ENERO 12-01-2010	FEBRERO 16-02-2010	MARZO 09-03-2010	ABRIL 13-04-2010	MAYO 18-05-2010	JUNIO 22-06-2010	JULIO 13-07-2010	AGOSTO 17-08-2010	SEPTIEMBRE 14-09-2010	OCTUBRE 19-10-2010	NOVIEMBRE 23-11-2010	DICIEMBRE 14-12-2010
Fluoruros	mg/L	0,24	0,21	0,23	0,23	0,21	---	---	---	---	---	0,23	0,27
Fosfatos	mg/L	0,12	< 0,05	< 0,05	< 0,05	< 0,05	---	---	---	---	---	< 0,05	0,16
Fósforo total	mg/L	0,1195	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---	---	---	---	< 0,1000	0,1137
Hidróxidos	mg/L	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	---	---	---	---	---	< 0,1	< 0,1
Hierro	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---	---	---	---	< 0,1000	< 0,1000
Magnesio	mg/L	47,0000	59,2600	52,9600	50,3100	51,4300	---	---	---	---	---	61,0900	75,0600
Manganeso	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---	---	---	---	< 0,1000	< 0,1000
Materias suspensión a 110°C	mg/L	37	42	48	35	10	---	---	---	---	---	14	56
Mercurio	mg/L	< 0,000050	< 0,000050	< 0,000050	< 0,000050	< 0,000050	---	---	---	---	---	< 0,000050	< 0,000050
Níquel	mg/L	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	---	---	---	---	---	< 0,0500	< 0,0500
Nitratos	mg/L	24,0	23,7	27,3	29,4	21,4	---	---	---	---	---	14,7	23,0
Oxígeno disuelto	mg/L	11,5	11,9	10,6	9,6	15,0	---	---	---	---	---	10,0	10,4
pH	pH	8,2	8,3	8,5	8,4	8,5	---	---	---	---	---	8,3	8,2
Plomo	µg/L	< 2,00	< 1,000	< 1,000	< 1,000	---	---	---	---	---	---	< 1,000	< 1,000
Plomo	mg/L	---	---	---	---	< 0,025000	---	---	---	---	---	---	---
Potasio	mg/L	6,6020	5,5360	6,2220	4,5970	4,2650	---	---	---	---	---	8,8610	8,6480
Recuento de Coliformes totale UFC/100		1670	19000	13000	920	2400	---	---	---	---	---	320	55000
Selenio	µg/L	2,44	2,355	2,729	---	---	---	---	---	---	---	3,175	3,782
Selenio	mg/L	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---	---
Sílice	mg/L	10,8900	1,0780	1,5320	2,2220	4,3140	---	---	---	---	---	5,2940	10,6500
Sodio	mg/L	23,6500	27,2000	25,2400	22,5000	26,7500	---	---	---	---	---	50,7700	42,4500
Sulfatos	mg/L	376,3	447,6	380,3	400,2	401,2	---	---	---	---	---	470,6	585,0