



Código: GN00000165

Nombre del punto: RIO CHANZA - E. Chanza

Cauce: RIO CHANZA

Código de la masa de agua: 20650

Nombre de la masa de agua: EMBALSE DEL CHANZA

Localidad: Granado (El)

Provincia: Huelva

UTM X: 631182

UTM Y: 4157965

Huso: 29

		ENERO 11-01-2012	FEBRERO 06-02-2012	MARZO 13-03-2012	ABRIL 17-04-2012	MAYO 16-05-2012	JUNIO 12-06-2012	JULIO 17-07-2012	AGOSTO 01-08-2012	SEPTIEMBRE 03-09-2012	OCTUBRE 16-10-2012	NOVIEMBRE	DICIEMBRE
% Oxígeno (in situ)	% SAT	39,0	49,4	71,0	66,0	93,0	72,0	55,6	66,0	87,0	74,2	---	---
Cloro residual total (in situ)	mg/L	---	---	---	---	---	---	---	---	---	---	---	---
Color aparente (in situ)	----	---	---	---	---	---	---	---	---	---	---	---	---
Conductividad (in situ)	µS/cm	196	211	218	455	219	232	243	234	255	259	---	---
Nitritos (in situ)	mg/L	0,03	0,00	0,07	0,07	0,00	0,00	0,00	0,00	0,03	0,03	---	---
Olor (in situ)	----	---	---	---	---	---	---	---	---	---	---	---	---
Oxígeno disuelto (in situ)	mg/L	4,2	5,2	6,9	6,2	7,5	6,2	4,5	5,5	7,1	6,8	---	---
pH (in situ)	pH	7,3	7,5	7,4	7,4	8,2	8,1	7,5	8,0	7,8	7,6	---	---
Temperatura del agua "in situ" (in situ)	°C	12,6	12,8	16,2	17,3	26,7	23,0	26,5	25,1	25,5	20,3	---	---
Acenafeno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Agentes tensoactivos (aniónicos)	mg/L	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	---	---
a-hch	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Alaclor	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Alcalinidad total	mg/L	43,2	46,9	47,2	46,6	42,8	45,1	48,7	49,8	49,6	48,3	---	---
Aldrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Aluminio	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Ametrin	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Amonio total	mg/L	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	---	---
Antraceno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Arsénico	µg/L	< 1,000	< 1,000	< 1,000	< 1,000	---	---	< 1,000	< 1,000	1,098	< 1,000	---	---
Arsénico	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Aspecto	----	1	1	1	1	1	1	1	1	1	1	---	---
Atraton	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
atrazina	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Bario	mg/L	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	---	---
Benceno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Benzo(a)Antraceno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Benzo(a,h)Antraceno	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---



Código: GN00000165

Nombre del punto: RIO CHANZA - E. Chanza

Cauce: RIO CHANZA

Código de la masa de agua: 20650

Nombre de la masa de agua: EMBALSE DEL CHANZA

Localidad: Granado (El)

Provincia: Huelva

UTM X: 631182

UTM Y: 4157965

Huso: 29

		ENERO 11-01-2012	FEBRERO 06-02-2012	MARZO 13-03-2012	ABRIL 17-04-2012	MAYO 16-05-2012	JUNIO 12-06-2012	JULIO 17-07-2012	AGOSTO 01-08-2012	SEPTIEMBRE 03-09-2012	OCTUBRE 16-10-2012	NOVIEMBRE	DICIEMBRE
Benzo(a)Pireno	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Benzo(b)Fluoranteno	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Benzo(g,h,i)Perileno	µg/L	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	---	---
Benzo(k)Fluoranteno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
b-hch	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Bicarbonatos	mg/L	43,2	46,9	47,2	46,6	42,8	45,1	48,7	49,8	49,6	48,3	---	---
Boro	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Bromodichlorometano	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Bromoforno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Cadmio	µg/L	< 1,000	< 1,000	< 1,000	< 1,000	---	---	< 1,000	< 1,000	< 1,000	< 1,000	---	---
Cadmio	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Calcio	mg/L	11,0100	12,7000	12,2100	12,4900	11,9000	13,3900	13,5800	13,2700	13,5200	14,5000	---	---
Carbonatos	mg/L	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	---	---
Cianuro Total	mg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Cinc	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Clorofeninfos	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Clorobenceno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Cloroforno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Clorpirinfos	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Cloruros	mg/L	17,2	20,2	22,5	21,2	22,1	25,3	23,4	24,2	25,5	25,5	---	---
Cobalto	mg/L	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	---	---
Cobre	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Color	mg/L	11,0	11,6	7,8	7,8	6,8	< 5,0	< 5,0	< 5,0	< 5,0	< 5,0	---	---
Conductividad	µS/cm	189	207	204	205	206	221	294	242	237	237	---	---
Cromo	µg/L	< 2,000	< 2,000	< 2,000	< 2,000	---	---	< 2,000	< 2,000	< 2,000	< 2,000	---	---
Cromo	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Criseno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
D.B.O. 5d	mg/L	0,6	0,6	1,7	0,9	1,2	0,5	0,6	0,5	0,4	0,8	---	---
Desetilazina	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---



Confederación Hidrográfica del Guadiana

Gestión de laboratorios

Informes

Report: R030412

Fecha: 31-01-2013

Resultados de análisis por punto de control

Página: 3

Código: GN00000165

Nombre del punto: RIO CHANZA - E. Chanza

Cauce: RIO CHANZA

Código de la masa de agua: 20650

Nombre de la masa de agua: EMBALSE DEL CHANZA

Localidad: Granado (El)

Provincia: Huelva

UTM X: 631182

UTM Y: 4157965

Huso: 29

		ENERO 11-01-2012	FEBRERO 06-02-2012	MARZO 13-03-2012	ABRIL 17-04-2012	MAYO 16-05-2012	JUNIO 12-06-2012	JULIO 17-07-2012	AGOSTO 01-08-2012	SEPTIEMBRE 03-09-2012	OCTUBRE 16-10-2012	NOVIEMBRE	DICIEMBRE
Desisopropilatrazina	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
d-hch	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Diazinon	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Dibromoclorometano	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Diclorometano	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Dieldrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Diuron	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
D.Q.O. 10min	mg/L	3,8	2,7	2,7	3,2	3,9	4,1	0,4	2,8	2,5	2,9	---	---
D.Q.O. 2h	mg/L	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	---	---
Dureza permanente	mg/L	---	---	---	---	---	---	---	---	---	---	---	---
Dureza temporal	mg/L	43,2	46,9	47,2	46,6	42,8	45,1	48,7	49,8	49,6	48,3	---	---
Dureza total	mg/L	55,5	64,4	60,4	62,3	59,7	67,7	68,6	67,7	70,2	73,1	---	---
Endosulfán I	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endosulfán II	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endosulfán Sulfato	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endrín Aldehido	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Estaño	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Estireno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Estroncio	mg/L	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	---	---
Etilbenceno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Etil-Paratión	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Fenantreno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Fenoles	mg/L	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Fluoranteno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Fluoreno	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Fluoruros	mg/L	0,15	0,14	0,13	0,16	0,16	0,16	0,16	0,18	0,15	0,17	---	---
Fosfatos	mg/L	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	---	---
Fósforo total	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---



Código: GN00000165

Nombre del punto: RIO CHANZA - E. Chanza

Cauce: RIO CHANZA

Código de la masa de agua: 20650

Nombre de la masa de agua: EMBALSE DEL CHANZA

Localidad: Granado (El)

Provincia: Huelva

UTM X: 631182

UTM Y: 4157965

Huso: 29

		ENERO 11-01-2012	FEBRERO 06-02-2012	MARZO 13-03-2012	ABRIL 17-04-2012	MAYO 16-05-2012	JUNIO 12-06-2012	JULIO 17-07-2012	AGOSTO 01-08-2012	SEPTIEMBRE 03-09-2012	OCTUBRE 16-10-2012	NOVIEMBRE	DICIEMBRE
Heptacloro	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Heptacloro epóxido	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Hexaclorobenceno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Hexaclorobutadieno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Hidróxidos	mg/L	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	---	---
Hierro	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Imazalil	µg/L	< 0,050	< 0,050	< 0,050	< 0,050	---	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Indeno(1,2,3-cd)Pireno	µg/L	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Investigación de Salmonella sp.	-----	Salmonella no Detect	Salmonella no Detect	Salmonella no Detect	Salmonella no Detect	Salmonella no Detect	Salmonella no Detect	Salmonella no Detect	Salmonella no Detect	Salmonella no Detect	Salmonella no Detect	---	---
Isodrin	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Isoproturon	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Lindano	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Magnesio	mg/L	6,7930	7,9260	7,2530	7,5400	7,2790	8,3040	8,4200	8,3800	8,8460	8,9440	---	---
Malatión	µg/L	< 0,050	< 0,050	< 0,050	< 0,050	---	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Manganeso	mg/L	0,1080	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
MCPA	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Mercurio	mg/L	< 0,000050	< 0,000050	< 0,000050	< 0,000050	---	< 0,000050	< 0,000050	< 0,000050	0,000064	< 0,000050	---	---
Metil Paratión	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Metilclorpirifos	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Metolaclor	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Molinate	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
m,p-xileno	µg/L	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	---	---
MTBE	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Naftaleno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Níquel	mg/L	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	---	---
Nitratos	mg/L	2,1	2,2	1,1	< 1,0	< 1,0	< 1,0	< 1,0	< 1,0	< 1,0	< 1,0	---	---
Olor	-----	0	0	0	0	0	0	0	0	0	0	---	---
Oxifluorfen	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---



Confederación Hidrográfica del Guadiana

Gestión de laboratorios

Informes

Report: R030412

Fecha: 31-01-2013

Resultados de análisis por punto de control

Página: 5

Código: GN00000165

Nombre del punto: RIO CHANZA - E. Chanza

Cauce: RIO CHANZA

Código de la masa de agua: 20650

Nombre de la masa de agua: EMBALSE DEL CHANZA

Localidad: Granado (El)

Provincia: Huelva

UTM X: 631182

UTM Y: 4157965

Huso: 29

		ENERO 11-01-2012	FEBRERO 06-02-2012	MARZO 13-03-2012	ABRIL 17-04-2012	MAYO 16-05-2012	JUNIO 12-06-2012	JULIO 17-07-2012	AGOSTO 01-08-2012	SEPTIEMBRE 03-09-2012	OCTUBRE 16-10-2012	NOVIEMBRE	DICIEMBRE
Oxígeno disuelto	mg/L	5,9	7,9	11,5	10,1	9,5	8,4	8,3	8,1	8,2	9,3	---	---
o-xileno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
PAH	mg/L	< 0,00020	< 0,00020	< 0,00020	< 0,00020	< 0,00020	< 0,00020	< 0,00020	< 0,00020	< 0,00020	< 0,00020	---	---
PCB 101	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 118	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 138	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 153	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 180	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 28	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 52	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB's	µg/L	< 0,14	< 0,14	< 0,14	< 0,14	---	< 0,14	< 0,14	< 0,14	< 0,14	< 0,14	---	---
Pentaclorobenceno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
pH	pH	7,4	7,6	7,8	7,8	8,2	8,0	7,7	7,8	7,5	7,6	---	---
Pireno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Plaguicidas total	mg/L	< 0,00100	< 0,00100	< 0,00100	< 0,00100	---	< 0,00100	< 0,00100	< 0,00100	< 0,00100	< 0,00100	---	---
Plomo	µg/L	< 1,000	< 1,000	< 1,000	< 1,000	---	---	< 1,000	< 1,000	< 1,000	< 1,000	---	---
Plomo	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Potasio	mg/L	1,8340	1,9200	1,8760	1,9020	2,0110	2,1100	2,3620	2,0960	2,3480	2,1790	---	---
PP-DDD	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PP-DDE	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PP-DDT	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Prometon	µg/L	< 0,050	< 0,050	< 0,050	< 0,050	---	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Prometrin	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Propazina	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Recuento de Coliformes fecales	UFC/100	14	< 10	< 10	< 10	40	15	54	20	< 10	< 10	---	---
Recuento de Coliformes totales	UFC/100	20	10	< 10	< 10	400	400	100	< 10	100	1100	---	---
Recuento de Estreptococos fecales	UFC/100	< 10	< 10	< 10	14	57	< 10	< 10	80	< 10	< 10	---	---
Selenio	µg/L	< 1,000	< 1,000	< 1,000	< 1,000	---	---	< 1,000	< 1,000	< 1,000	< 1,000	---	---



Código: GN00000165

Nombre del punto: RIO CHANZA - E. Chanza

Cauce: RIO CHANZA

Código de la masa de agua: 20650

Nombre de la masa de agua: EMBALSE DEL CHANZA

Localidad: Granado (El)

Provincia: Huelva

UTM X: 631182

UTM Y: 4157965

Huso: 29

		ENERO 11-01-2012	FEBRERO 06-02-2012	MARZO 13-03-2012	ABRIL 17-04-2012	MAYO 16-05-2012	JUNIO 12-06-2012	JULIO 17-07-2012	AGOSTO 01-08-2012	SEPTIEMBRE 03-09-2012	OCTUBRE 16-10-2012	NOVIEMBRE	DICIEMBRE
Selenio	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Sílice	mg/L	6,4370	6,0430	5,2700	3,6020	1,4140	< 0,8560	< 0,8560	< 0,8560	< 0,8560	1,1990	---	---
Simazina	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Simetrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Sodio	mg/L	16,8700	17,7100	16,5300	16,6000	15,5900	16,7100	17,8300	17,5200	21,7900	18,0400	---	---
Sólidos en Suspensión	mg/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	---	---
Sulfatos	mg/L	22,6	26,0	24,1	24,1	29,3	31,3	32,6	32,4	33,7	35,1	---	---
Terbutilazina	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	0,011	0,012	0,011	< 0,010	---	---
Terbutrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Tetracloroetileno (Percloroetileno)	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Tetracloruro de Carbono	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Tolueno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Tricloroetileno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Trifluralín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
1,1,1-tricloroetano	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
1,2-diclorobenceno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
1,2-Dicloroetano	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
1,2,3-triclorobenceno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
1,2,4-triclorobenceno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
1,3-diclorobenceno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
1,3,5-triclorobenceno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
1,4-diclorobenceno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---